

4 YOU  
SitLand®



# THE FUNCTIONALITY OF DESIGN

Geometric lines design 4You,  
the collection of chairs of appealing  
design and high comfort.



## THE MECHANICS OF COMFORT

4You features a synchronized mechanism with tilt limiter, lockable in working position and with tension adjustment.

## AESTHETICS

The back of 4 You can be in breathable mesh or consisting of a membrane in highly-elastic expanded elastomer, perfectly adherent to the user, ensuring unique comfort. The technical upholstery is shaped with geometric patterns available in different upholsteries and colours.


## EVEN MORE COMFORTABLE

Improved comfort thanks to the padded seat in polyurethane, crushproof defined by the side stitching of the upholstery and supported by the seat shell in polypropylene, crushproof.


## STANDARD COMFORT

Different types of armrests, bases and casters offer the possibility to choose the most suitable version for your needs.


# MODELS AND DIMENSIONS




Operative chair - back in mesh




Executive chair - back in mesh




Operative chair - technical back  
upholstery thin-stiped



Executive chair - technical back  
upholstery thin-stiped



Operative chair - technical back  
geometrical pattern



Executive chair - technical back  
geometrical pattern

## MECHANISM

	EXECUTIVE	OPERATIVE
Synchronized mechanism with tilt limiter, lockable in working position. Tension adjustment turning twice the side handle.	<input type="checkbox"/>	<input type="checkbox"/>
Gas lift for the seat height adjustment.	<input type="checkbox"/>	<input type="checkbox"/>

## ARMS



Pair of 4D armrests, adjustable in height by means of a button under the top and in width by means of a knob. Polished aluminium support, top in soft black polyurethane, adjustable in depth and pivoting.



4D arms, adjustable in height and in width, soft-touch top, pivoting left/right and adjustable in depth.



2D arms, adjustable in height and in width, soft-touch top.

## BASES



High resistance 5-star base in black nylon with strengthening steel ring, ø 700 mm.



5-star die-cast aluminium ø 700 mm base, polished, ø 700 mm.

## CASTERS



Self-braking rubber casters, ø 50 mm for hard floors.



Free casters, ø 50 mm.



Self-braking casters, ø 65 mm for soft floors.



Hollow free and rubber casters, ø 65 mm for hard floors, black structure.



Hollow free and rubber casters, ø 65 mm for hard floors, chromed structure.

## COLOURS, MATERIALS, FINISHING \*

### STRUCTURE FINISHING



Black polyamide



Polished aluminium

### BACK MESH



Mesh RR  
11 colours

## SEAT UPHOLSTERY FOR 4 YOU WITH BACK MESH



Fabric  
BN  
12 colours



Fabric  
AB Xtreme Plus  
19 colours



Fabric  
IP  
19 colours



Fabric  
FE  
21 colours



Mesh  
RR  
9 colours

## TECHNICAL BACK UPHOLSTERY



Fabric  
AB Xtreme Plus  
2 colours



Fabric  
ME  
3 colours



Fabric  
IP  
4 colours

## SEAT UPHOLSTERY FOR 4 YOU WITH TECHNICAL BACK UPHOLSTERY



Fabric  
AB Xtreme Plus  
19 colours



Fabric  
ME  
21 colours



Fabric  
IP  
19 colours

\* Please refer to the Price list in force and to the General sale conditions for the colours and the combinations available for every single product. Colours shown are used for reference only and may look different in reality. Please contact SitLand to receive more information.

## PCON.PLANNER



It will be possible to configure our model 4 You by using pCon.planner program for the design of 2D and 3D environment.

pCon.planner allows to design working solutions in a fast and intuitive way, creating "realistic" images with advanced features, with a considerable saving of time and resources.

It is easy to start using pCon.planner: after downloading the software in the proper page, it is possible to download pCon.catalog, the practical online catalogue of products ready to be set up according to anyone's need, and then include the products in the projects.

For more information on the use of pCon.planner and the access to the products of the SitLand's catalogues, please contact [com@sitland.com](mailto:com@sitland.com)

## WARRANTY



4 You has 5 years warranty. For any further detail, please contact SitLand's customer service at [service@sitland.com](mailto:service@sitland.com)

## MORE INFORMATION

Please look through our catalogue to see all the different versions available of 4 You

[http://www.sitland.com/sitland\\_catalogues/sitland\\_general\\_catalogue/sitland\\_general\\_catalogue.html#p=122](http://www.sitland.com/sitland_catalogues/sitland_general_catalogue/sitland_general_catalogue.html#p=122)

or see our 4 You page into our web site [www.sitland.com](http://www.sitland.com)

# UNI EN 1335 CERTIFICATION

4You comply with the norm  
UNI EN 1335-3

The work conditions and the protection of the people at work, as far as safety and health are concerned, provide that "the office chairs" are produced according to the ergonomic principles and the functionality requirements contained in the following norms:

- UNI EN 1335-1, dimensions and definitions of the dimensions;
- UNI EN 1335-2, safety requirements;
- UNI EN 1335-3, test procedures for the safety.

The chairs are classified in three different classes according to their specific performance and dimensional characteristics:

- Class A considers the more restrictive dimensional requirements and mostly respect the anthropometric dimensions from 5 to 95% of the population.
- Class B considers the middle requirements among the classes, respecting the minimum requirements requested by D.Lgs. 81/2008.
- Class C considers the minimum requirements.


The tests performed are:



on model 4 You with high resistance 5-star base in black nylon with strengthening steel ring, ø 700 mm and headrest.


## DURABILITY TESTS ON THE SEAT AND BACK

Loading point A: 1.500 N  
Number of cycles: 120.000  
Loading point C - B: 1.200 N - 320 N -  
Number of cycles: 40.000  
Loading point J - E: 1.200 N - 320 N -  
Number of cycles: 40.000  
Loading point F - H: 1.200 N - 320 N -  
Number of cycles: 20.000  
Loading point D - G: 1.100 N - 1.100 N -  
Number of cycles: 20.000




## STABILITY TESTS TILT TOWARD THE FRONT

Load: 20 N



## STABILITY TESTS LATERAL TILTING


Horizontal force: 20 N



## STABILITY TESTS FRONT TILTING


Load: 27 kg

Applied in the furthest point of the seat from the rotation axis



## STABILITY TESTS BACK TILTING FOR SEATS WITH TILTING BACK

Number of discs: 13




## RESISTANCE TO ROLLING OF THE SEAT WITH NO LOAD

Speed test: 50 mm/s

Measured resistance: 17,292 N

Minimum allowed resistance: 12 N





SitLand S.p.A.  
Via Cà Silvestre, 52  
36024 Nanto - Vicenza - Italy  
info@sitland.com - www.sitland.com  
Tel. +39 0444 637100



SitLand S.p.A. is certified  
UNI EN ISO 9001: 2008  
UNI EN ISO 14001: 2004

Follow us

